



2014
U.S.A. MANUFACTURED
PRODUCTS




Px4 Sub-Compact comes with three interchangeable backstraps designed to customize the pistol for the shooter

Px4 Storm



SnapGrip® extension ensures maximum grip area for larger hands



PX4 SUB-COMPACT

The Px4 Sub-Compact is a lot of pistol in a little package. It delivers all of the modularity of its bigger brothers in a sub-compact frame. Shooters still have the ability to change out three different backstraps, mount lights and lasers on the accessory rail, switch the magazine catch from left to right, and carry up to 14 rounds (13+1 in 9mm). The Sub-Compact's Snap-Grip® allows shooters with larger hands to gain a full grip when shooting. When not in use, the Snap-Grip® can be resnapped, making the entire package smaller for concealed carry. When you don't want to lose big gun performance, but need to carry concealed, the Px4 Sub-Compact will exceed your expectations.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Unloaded	Magazine Capacity
Px4 Type F Sub-Compact	JXS9F21	81973-0	9mm	Dbl/Sngl	6.2"	4.8"	3.0"	4.5"	1.4"	1.2"	26.1 oz	13 Rounds
Px4 Type F Sub-Compact	JXS4F20	81974-7	.40 S&W	Dbl/Sngl	6.2"	4.8"	3.0"	4.5"	1.4"	1.2"	26.1 oz	10 Rounds

* Night sights available sku's upon request.


Nano

The ultimate evolution of the micro compact carry pistol.



EXTENDED MAGAZINE:

- NOW SHIPPING WITH 1 FLUSH MAGAZINE 1 EXTENDED MAGAZINE
- 2 MORE ROUNDS OF PREVENTION
- 1 EXTRA INCH OF GRIP SURFACE



Nano Specifications	
Overall Length	5.63"
Overall Height	4.17"
Overall Width	.90"
Barrel Length	3.07"
Sight Radius	4.92"
Sights	3-Dot Low Profile
Frame Chassis	Stainless Steel Insert
Grip Frame	Technopolymer
Slide Material	4140
Slide Finish	Pronox
Weight Unloaded	17.67 oz

BU9 NANO

The Beretta Nano is the ultimate evolution of the micro compact carry pistol. Utilizing a removable, serialized sub-chassis the Nano pistol can be easily modified with replaceable grip frames and is simple to disassemble and maintain. Ease of use and concealment were key drivers in the development of the Nano. The Nano's extremely low profile, snag free design makes it easy to carry and draw from concealment. To accommodate right or left-handed use, the Nano's magazine release button can be easily reversed. The light, durable, frame employs modern thermoplastic technology through the use of fiberglass reinforced technopolymer. The Nano's sights are user adjustable with a 1.3mm hexwrench and your fingers. This allows anyone to adjust their sights without the assistance of a gunsmith. Modular structure, ergonomics and ease of use make the Beretta Nano the ideal firearm for concealed carry.

CAT CODE	UPC CODE	MODEL	CALIBER	ACTION	ROUNDS
JMN9S15	18954-3	BU9 Nano	9 mm	Single	8+1 & 6+1 Rounds

Nano Accessories



Laser Sight by LaserMax CF-NANO



Laser Sight by Crimson Trace LG-483



Trijicon Night Sights EU00038

Nano Pouch EU00035



Hybrid Holster G103-INCI-RH



ABS Belt Holster G103CNPKRH



Extended (8 Rd) Magazine Conversion Kit JK8RDEXT



FDE Grip Frame UD5A1260



Ranger Green Grip Frame UD5A1259



Black Grip Frame UD5A0910



Rosa Grip Frame UD5A1261

MODEL	CAT CODE	UPC CODE	CALIBER	OVERALL LENGTH	OVERALL HEIGHT	BARREL LENGTH	GRIP WIDTH	SIGHT RADIUS	WEIGHT UNLOADED	MAGAZINE CAPACITY
Beretta FDE Frame	SPEC0556A	082442604527	9 MM	5.63"	4.17"	3.07"	0.9"	4.92"	19.75 oz	6+1 Rounds
Ranger Green Frame	SPEC0555A	082442604596	9 MM	5.63"	4.17"	3.07"	0.9"	4.92"	19.75 oz	6+1 Rounds
Rosa Frame	SPEC0557A	082442604602	9 MM	5.63"	4.17"	3.07"	0.9"	4.92"	19.75 oz	6+1 Rounds
Black Frame	JMN9S15	082442189543	9 MM	5.63"	4.17"	3.07"	0.9"	4.92"	19.75 oz	6+1 Rounds

* Night sights available sku's upon request.

PICO

PICO Accessories



Serialized Modular Chassis



From .380 to .32 By Exchanging Barrels*

3-Dot Sight System

Simple Disassembly

Smooth, Snag-Free Design

Advanced Ambidextrous Magazine Release

Stainless Magazine



Each Pico ships with its own carry case.



Each Pico ships with two magazines, one flush and one with a grip extension.

Pico Specifications	
Overall Length	5.1 in/ 130 mm
Overall Height	4.0 in/ 100 mm
Overall Width	.725 in / 18 mm
Barrel Length	2.7 in/ 70 mm
Sight Radius	3.3 in/ 84 mm
Grip Width	.725 in/ 18 mm
Weight Unloaded	11.5 oz/ 325 grams with empty magazine, approximate



Slides & Grips



Colored Frames



PICO

Super thin, ultra concealable, and easy to configure, the Beretta Pico sets a new standard for the micro compact carry pistol. The thinnest .380 auto made... by a full millimeter...the snag-free Pico's slide and frame is a true 18 mm at their widest point. The grip frame, sights, and caliber (go from a .380 to a .32* by changing the barrel) are all simple to modify. Extremely soft shooting with a double action trigger, the Pico is easy to control with its smooth, tip-to-parallel, straight line action. The removable, serialized sub-chassis and modular frame feature simple disassembly for easy cleaning and customizing. The modular chassis can accommodate a Lasermax™ Laser frame and be customized with a selection of colored frames. Even the dovetail quick-change sights can be adjusted or replaced by the user. Light, durable, and easy to draw from concealment, the Pico brings all the reliability and quality of a Beretta to bear on its standing as the leader of a new generation of concealed carry firearms.

CAT CODE	UPC CODE	MODEL	CALIBER	ACTION	ROUNDS
JMP8D25	60505-0	Pico	.380	Dbl/Sngl	6+1 Rounds

*Barrels in .32 caliber sold separately.



Holsters



Visit www.berettausa.com for all Pico Accessories now available.

Slide-mounted safety/decocker



Red loaded chamber indicator is revealed when a round is chambered



Textured rubber grips exclusive to the 92FS Inox



92FS

Designated the "M9" by the U.S. Armed Forces and NATO Certified, the 92FS is one of the most iconic battle pistols in the world. After a quarter century of service with the U.S. Armed Forces, a recently renewed contract, and continued use by allied forces worldwide, the 92FS is still going strong. Time tested and battle proven, the 92FS is The World Defender. It delivers outstanding accuracy and reliability in the most unforgiving conditions. Its open slide design and optimal chamber feed angle allow for reliable feeding with a wide variety of ammunition styles and weights regardless of the environment. Pistols tested for the military must shoot a 10-shot group at 50 meters measuring three inches or less; most shoot well under that and commercial pistols are held to the same quality standards. The 92FS has an ambidextrous safety/decocker that allows for extremely safe operation and positive manipulation with either hand. The magazine release can easily be reversed for right- or left-handed use. The rear sight is designed to provide a front projection so that, in an emergency, the user may rack the slide single-handedly by pushing the rear sight against the edge of a table, door, or even a rigid gun belt. Beretta's proprietary Bruniton™ coating offers superior corrosion resistance with an attractive black finish.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Unloaded	Magazine Capacity
92 FS	J92F300M	81550-3	9mm	Dbf/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.3 oz	15 Rounds
92 FS	J92F300	02930-6	9mm	Dbf/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.3 oz	10 Rounds

* Night sights available sku's upon request.

92FS INOX

An aesthetic evolution of the proven 92FS, the 92FS Inox edition features a bead-blasted stainless steel slide and barrel. The forged, aerospace grade, 7075-T6 aluminum alloy frame is anodized to match the finish of the stainless steel slide and barrel. Stippled rubber grips contrast the smooth satin finish and offer a positive grip, even when wet. The 92FS Inox delivers the same accuracy, reliability and battle proven features of the standard 92FS. Like the 92FS, the magazine release can easily be reversed for right- or left-handed use and the safety/decocker is fully ambidextrous.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Unloaded	Magazine Capacity
92 FS INOX (US)	JS92F500	81822-1	9mm	Dbf/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.3 oz	15 Rounds
92 FS INOX (US)	JS92F510	81873-3	9mm	Dbf/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.3 oz	10 Rounds



M9A1 COMPACT

Designated "M9" by the U.S. Armed Forces, known simply as the 92 around the globe, the NATO certified Beretta 92FS is one of the most iconic battle pistols in the world. With outstanding accuracy and unparalleled reliability, the time tested and battle proven 92FS is THE World Defender. Introducing a new member of the 92 family, the M9A1 Compact Inox. Taking some of the best features of the 92/M9 family, the new M9A1 Compact is a formidable companion for those requiring a smaller package. All of the strengths of the 92 in a smaller package for off-duty carry, plainclothes work, or everyday concealment.

Description	Product Code	UPC Code	Caliber	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Weight Unloaded	Magazine Capacity
M9A1 Compact Inox	J90C9F20	30690-2	9mm	7.75"	5.25"	4.25"	5.75"	1.5"	31.6 oz	13 Rounds
M9A1 Compact Inox	J90C9F21	30691-9	9mm	7.75"	5.25"	4.25"	5.75"	1.5"	31.6 oz	10 Rounds

* Night sights available sku's upon request.

M9A1

The United States Marine Corps came to Beretta and asked for a modification to their M9 pistols. They wanted an accessory rail to attach tactical lighting devices and laser aiming devices as they head into the darkest corners of the world. In 2006, the M9A1 was born. The M9A1 sports aggressive checkering on the frontstrap and backstrap, a mil-spec picatinny rail, and specially designed, PVD coated, sand resistant magazines.

Description	Product Code	UPC Code	Caliber	Action	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Grip Width	Weight Unloaded	Magazine Capacity
M9A1	JS92M9A1M	81719-4	9mm	Db/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.9 oz	15 Rounds
M9A1	JS92M9A1	81678-4	9mm	Db/Sngl	8.5"	5.4"	4.9"	6.1"	1.5"	1.3"	33.9 oz	10 Rounds

* Night sights available sku's upon request.



NEOS CARBINE KIT

- Convert your NEOS pistol into a light and compact carbine
- Kit includes barrel and stock assemblies and multi-purpose tool
- Aluminum Weaver™-style top rail allows mounting of optics
- Rubber, slip resistant buttpad
- TRUGLO™ orange, fiber optic front sight and fully adjustable rear aperture sight
- Uses pistol's magazine, slide and receiver assembly
- Approved for sale in California



TRUGLO™ Fiber-Optic Front Sight

Weaver™ Accessory Rail

Adjustable Target Sights

Base pistol not included

Tool-Free Disassembly Wheel

Carbine Kit

Ambidextrous Safety

Skeletonized Buttpad



NEOS 4.5 / NEOS 6

Designed and manufactured in Beretta's U.S.A. facility, the NEOS is a modular, semi-automatic, .22 LR pistol is ideal for small game hunting, target shooting, or informal plinking. Though designed for ease of use by entry-level shooters, the NEOS will deliver for even the most skilled shooter. Constructed of five core assemblies, which are easily disassembled without tools, the NEOS is offered in the classic Beretta blue or Inox finishes. The ergonomically designed grip is made of fiberglass reinforced, techno-polymer with anti-slip finish and has optional colored or rubber inlay grips. The pistol's cutting edge, modular design allows for personalization and the flexibility to be adapted to multiple shooting disciplines.


Description	Product Code	UPC Code	Caliber	Overall Length	Overall Height	Barrel Length	Sight Radius	Overall Width	Weight Unloaded	Magazine Capacity
U22 Neos 4.5	JU2S45B	80757-7	.22 LR	8.8"	5.2"	4.5"	7.4"	1.5"	31.7 oz	10 Rounds
U22 Neos 4.5 INOX	JU2S45X	80759-1	.22 LR	8.8"	5.2"	4.5"	7.4"	1.5"	31.7 oz	10 Rounds
U22 Neos 6	JU2S60B	80758-4	.22 LR	10.3"	5.2"	6"	8.9"	1.5"	36.2 oz	10 Rounds
U22 Neos 6 INOX	JU2S60X	80760-7	.22 LR	10.3"	5.2"	6"	8.9"	1.5"	36.2 oz	10 Rounds



ARX100 MULTI-CALIBER



The multi-position folding stock allows the user to adapt the rifle for every firing scenario.



Ambidextrous case ejection selector allows the user to choose left or right spent casing ejection.



Shown with optional accessories.

ARX100

The ARX100 is the ultimate evolution of the modern sporting rifle. Designed for ease of use and ultimate reliability, the ARX100's feature set is unparalleled. The cold hammer forged barrel can be removed and replaced with various lengths and calibers in a matter of seconds. Case ejection can be switched from right to left with the simple push of a button. All of the critical controls on the ARX100 are completely ambidextrous. With a constant contact piston system, the ARX100 can easily feed and fire under the most unforgiving conditions. The lightweight, technopolymer receiver allows for reliable operation with virtually no lubricant. To make maintenance easy, the ARX100 has no pins and can be completely disassembled with no tools at all. Simplicity, flexibility, reliability. The ARX100 is the next step in modern sporting rifle evolution.

CAT CODE	UPC CODE	MODEL	CALIBER	ACTION	ROUNDS
JXR11600	68619-6	ARX100	5.56 x 45	Semi-Auto	30



A300 Outlander



MAX-4 CAMO



Simplicity in design and operation. The A300 Outlander Camo only has four major components. This allows for easy assembly/disassembly.



Trident on pistol-grip



Spacers for adjustable length-of-pull from 13" to 14½".



Forend cap with sling stud attachment.



Textured Forend

A300 OUTLANDER

The A300 Outlander is a reliable solution for shotgunners willing to step into the Beretta world of superior semi-auto performance at a price anyone can afford. Legendary Beretta performance and reliability with worry free operation—all hallmarks of Beretta's newest addition to the semi-auto lineup. Born of decades of technological advancement in the field of semi-auto shotguns, the A300 Outlander is guaranteed to perform.

CAT CODE	UPC CODE	MODEL	GAUGE	BARREL	CHOKE
J30TC18	18941-3	A300 Outlander Camo	12	28"	MC3

*MC3-Full (F), Modified (M), Improved Cylinder (IC)

A300 OUTLANDER	
ACTION	Semi-automatic Gas Operation with compensating exhaust valve and self cleaning piston
GAUGE	12
CHAMBER	3"
STOCK FINISH	Max-4 Camo
STOCK	Adjustable Shim System
RECOIL PAD	Fitted Rubber Pad
SAFETY	Crossbolt with ergonomics for a better grip
TRIGGER	Chrome-Plated
RECEIVER	Aluminum Alloy
RIB TYPE	¼" x ¼" Ventilated
SIGHT	Front Metal Bead
WEIGHT(AVERAGE)	7.6 Lbs.

Connect with us:
Facebook.com/BerettaUSA
Twitter @Beretta_USA
Youtube.com/BerettaCommunity

UQAN 2482

Beretta U.S.A. Corp.
17601 Beretta Drive
Accokeek, MD 20607

